

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	7	((bus or databus) near2 segment\$2) or (segmented near2 (bus or databus))) same frequenc\$3 near3 equal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/02 09:34
S1	523	710/306.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/01 08:04
S2	1	710/306.ccls. and cross.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:20
S3	6	710/306.ccls. and direction\$2.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 08:25
S5	3	710/306.ccls. and traffic.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:34
S6	8	710/306.ccls. and ((bus\$3 or databus\$3) and switch\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:36
S7	37497	(bus or busses or databus\$3) and frequenc\$3 and switch\$3 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:38
S8	3749	(bus or busses or databus\$3) and frequenc\$3 and switch\$3 and buffer\$3 and memory adj cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:39
S9	3	(bus or busses or databus\$3) and frequenc\$3 and switch\$3 and buffer\$3 and memory adj cell\$2 and 710/306.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:41
S10	491	(bus or busses or databus\$3) and frequenc\$3 and switch\$3 and buffer\$3 and memory adj cell\$2 and (bi-direction\$2 or multiple adj directions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:41

S11	13	(bus or busses or databus\$3) and frequenc\$3 and switch\$3 and buffer\$3 and memory adj cell\$2 and (bi-direction\$2 or multiple adj directions) and first adj direction and second adj direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:42
S12	13	(bus or busses or databus\$3) and (bi-direction\$2 or multiple adj directions) and frequenc\$3 and switch\$3 and buffer\$3 and memory adj cell\$2 and first adj direction and second adj direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:42
S13	5	(bus or busses or databus\$3) same (bi-direction\$2 or multiple adj directions) and frequenc\$3 and switch\$3 and buffer\$3 and memory adj cell\$2 and first adj direction and second adj direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/27 15:43
S14	39	710/306.ccls. and oppos\$3 near8 direction\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 08:30
S15	6	710/306.ccls. and cross near3 (switch\$3 or hub or controller\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 08:51
S16	186	710/306.ccls. and bus adj bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:50
S17	23	710/306.ccls. and (bus adj bridge). ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:29
S18	7	710/306.ccls. and (bus adj bridge). ti. and frequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 08:58
S19	48	(bus or databus) adj segment and memory adj cell\$2 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:31

S20	0	(busses or databusses) adj segment and memory adj cell\$2 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:31
S21	2254	(multi-direction\$2 or multidirection\$2 or bi-direction\$2) adj (bus\$3 or databus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:33
S22	352	(multi-direction\$2 or multidirection\$2 or bi-direction\$2) adj (bus\$3 or databus\$3) and "710"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:34
S24	281	(multi-direction\$2 or multidirection\$2 or bi-direction\$2) adj (bus\$3 or databus\$3) and 710/1-317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:36
S25	175	(multi-direction\$2 or multidirection\$2 or bi-direction\$2) adj (bus\$3 or databus\$3) and 710/1-317.ccls. and (switch\$3 or (bus adj bridge) or hub)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:36
S26	163	(multi-direction\$2 or multidirection\$2 or bi-direction\$2) adj (bus\$3 or databus\$3) and 710/1-317.ccls. and (switch\$3 or hub)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:37
S27	3	(multi-direction\$2 or multidirection\$2 or bi-direction\$2) adj (bus\$3 or databus\$3) and 710/1-317.ccls. and (switch\$3 or hub) and first adj direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:41
S28	11	(multi-direction\$2 or multidirection\$2 or bi-direction\$2) adj (bus\$3 or databus\$3) and 710/1-317.ccls. and (switch\$3 or hub) and plurality adj (components or devices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:45
S29	69	710/306.ccls. and (transfer\$3 or transmit\$4) near6 direction\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:51
S30	0	710/306.ccls. and switch\$2 adj (transfer\$3 or transmit\$4) near6 direction\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:51

S31	1	710/306.ccls. and (switch\$2 or bridge) adj (transfer\$3 or transmit\$4) near6 direction\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/28 09:51
S32	1169	(bus adj segment) or segment\$3 near3 (bus\$2 or databus\$2) and (simultaneous\$2 or concurrent\$2) near4 (data or information) near4 (transfer\$4 or transmit\$4 or send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:06
S33	1082	(bus adj segment) or segment\$3 near3 (bus\$2 or databus\$2) and (simultaneous\$2 or concurrent\$2) near4 (data or information) near4 (transfer\$4 or transmit\$4 or send\$3) and (bidirectional or bi-directional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:07
S34	22	(bus adj segment\$3) near3 (bus\$2 or databus\$2) and (simultaneous\$2 or concurrent\$2) near4 (data or information) near4 (transfer\$4 or transmit\$4 or send\$3) and (bidirectional or bi-directional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:10
S35	13	(bus adj segment\$3) near3 (bus\$2 or databus\$2) and (simultaneous\$2 or concurrent\$2) near4 (data or information) near4 (transfer\$4 or transmit\$4 or send\$3) and (bidirectional or bi-directional) and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:13
S36	16663	(switch\$2 or bridge\$2) near3 (transfer\$4 or transmit\$4) near4 (data or info or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:15
S37	780	(switch\$2 or bridge\$2) near3 (transfer\$4 or transmit\$4) near4 (data or info or information) same (simultaneous\$3 or concurrent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:16
S38	383	(switch\$2 or bridge\$2) near2 (transfer\$4 or transmit\$4) near2 (data or info or information) same (simultaneous\$3 or concurrent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:16
S39	24	(switch\$2 or bridge\$2) near2 (transfer\$4 or transmit\$4) near2 (data or info or information) same (simultaneous\$3 or concurrent\$3) same (direction\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:17

S40	1	(switch\$2 or bridge\$2) near2 (transfer\$4 or transmit\$4) near2 (data or info or information) same (simultaneous\$3 or concurrent\$3) same (((bus or databus) near2 segment) or segmented (bus or databus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:21
S41	15	"5583867"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:21
S42	2	("5583867").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:23
S43	2	("20030169686").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:24
S44	1	("6915369").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:27
S45	63	(simultaneous\$2 or concurrent\$2) near5 data near5 (transfer\$4 or transmit\$4 or send\$4) same (bus near5 (segment\$2 or portion or slot)) same (bus near2 (segment\$2 or portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:27
S46	12	(simultaneous\$2 or concurrent\$2) near5 data near5 (transfer\$4 or transmit\$4 or send\$4) same (bus near5 (segment\$2 or portion or slot)) same (bus near2 (segment\$2 or portion)) and (between near3 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:35
S47	6	"6687780"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:06
S48	53	"5003463"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:42

S49	2	("5003463").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:42
S50	101	(first near2 bus near2 segment) same (second near2 bus near2 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:50
S51	11	(first near2 bus near2 segment) same (second near2 bus near2 segment) same direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 13:51
S52	4	(first near2 bus near2 segment) same (second near2 bus near2 segment) same simultaneously	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:11
S53	35063	direction\$2 near3 simultaneous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:12
S54	7	direction\$2 near3 simultaneous\$2 and 710/306.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:17
S55	1	((bus\$2 or databus\$2) near3 segment\$5) and ((full-duplex or (full adj duplex)) near3 (switch or bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:19
S56	172	((bus\$2 or databus\$2) near3 segment\$5) and (full-duplex or (full adj duplex))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:22
S57	172	((bus\$2 or databus\$2) near3 segment\$5) and ((full-duplex or (full adj duplex)) same duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:22
S58	17	((bus\$2 or databus\$2) near3 segment\$5) and (duplex near5 switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:24

S59	144	full-duplex near3 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:24
S60	7	full-duplex near3 switch same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:24
S61	12	((simultaneous\$2 or concurrent\$2) near5 data near5 (transfer\$4 or transmit\$4 or send\$4) same (bus near5 (segment\$2 or portion or slot)) same (bus near2 (segment\$2 or portion))),clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 14:39
S62	3202	bus near3 segment\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:40
S63	1009	bus adj segment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:40
S64	124	segmented adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:41
S65	4	((segmented adj bus) and (bus adj segment)) same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:50
S66	3	((segmented adj bus) and (bus adj segment)) same bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:50
S67	69	(bi-directional or bi directional or multi-directional or multidirectional) near5 (bus\$2 or databus\$2) near3 (segment\$2 or portion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:55
S68	53	(bi-directional or bi directional or multi-directional or multidirectional) near5 (bus\$2 or databus\$2) near3 (segment\$2 or portion) and (buffer\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:58

S69	1	(bi-directional or bi directional or multi-directional or multidirectional) near5 (bus\$2 or databus\$2) near3 (segment\$3) and multiplex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 14:59
S70	524	710/306.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:03
S71	31	710/306.ccls. and bus adj segment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:04
S72	21	710/306.ccls. and segmented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:08
S73	51	710/305.ccls. and segmented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:16
S74	606	cross adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:16
S75	1	cross adj switch and bus adj segment\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:17
S76	178	cross adj switch and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:17
S77	142	cross adj switch and bus and transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 15:36
S78	418	710/310.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:44

S79	83	710/310.ccls. and segment\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:45
S80	9	710/310.ccls. and segment\$5 and duplex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:46
S81	2	("6148356").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:56
S82	1	"6155760".PN.	USPAT; USOCR	OR	OFF	2005/07/29 16:01
S83	1	"6115551".PN.	USPAT; USOCR	OR	OFF	2005/07/29 16:02
S84	1	"6108741".PN.	USPAT; USOCR	OR	OFF	2005/07/29 16:02
S85	1	"5634099".PN.	USPAT; USOCR	OR	OFF	2005/07/29 16:03
S86	1	"5771356".PN.	USPAT; USOCR	OR	OFF	2005/07/29 16:03
S87	995113	connect\$3 near2 (inbetween or in-between or in adj between or between)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:07
S88	68305	(switch) WITH connect\$3 near2 (inbetween or in-between or in adj between or between)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:08
S89	46743	(switch) near5 connect\$3 near2 (inbetween or in-between or in adj between or between)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:08
S90	46743	(switch) near5 connect\$3 near2 (inbetween or in-between or in adj between or between)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 16:08
S91	25521	(switch) near2 connect\$3 near2 (inbetween or in-between or in adj between or between)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 16:09

S92	4497	(switch) near2 connect\$3 near2 (inbetween or in-between or in adj between or between) near3 first	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 16:10
S93	4497	(switch) near2 connect\$3 near2 (inbetween or in-between or in adj between or between) near3 first	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 16:10
S94	153	(switch) near2 connect\$3 near2 (inbetween or in-between or in adj between or between) near3 first same transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 16:11
S95	19	(switch) near2 connect\$3 near2 (inbetween or in-between or in adj between or between) near3 first same transfer\$4 near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/29 16:11
S10 1	15	"5583867"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/01 08:37
S10 2	2	"20030169686"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/01 08:37
S10 3	2500	((((bus or databus) near2 segment\$2) or (segmented near2 (bus or databus))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/01 09:03
S10 4	171	((((bus or databus) near2 segment\$2) or (segmented near2 (bus or databus)))) same (simultaneous\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/02 09:30
S10 8	2	((((bus or databus) near2 segment\$2) or (segmented near2 (bus or databus)))) same (simultaneous\$2) same plurality near2 (component\$2 or device\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/08/01 13:14